



JoJo's **Quality Commitment**

We invest in designs, technologies and capabilities that uphold our purpose.

JoJo's popular water tanks **comply with the national tank standard for water tanks**, **SANS 1731:2017** at all eight of our operations, and come with a **40-year-plus track record and 10-year warranty**. Each JoJo tank is a **quality**, **long-term investment** designed to serve a purpose and add value.



UV-stabilised outer layer withstands the harsh African climate



Black inner layer prevents algae growth



BPA-free, food-grade layer prevents leaching of harmful chemicals and protects the quality of the water stored



No vertical joints or weak points in the layers for added strength



Greater thickness at the bottom of the tank provides the required strength to withstand the pressure from the liquid stored



Closely spaced ribs at the bottom of the tank provides added strength



Lids are secured with spring-loaded e-clips as an additional safety measure in the event that the tank overflows



Tanks are supplied with high-quality, practical fittings designed for use with our accessory range, to extend the versatility and allow for easy DIY installations



colours to suit various preferences and unique aesthetic requirements

Our colour pigments have the best weather

Tanks can be manufactured in a range of



 -and light fastness properties for extended outdoor use without fading
 Iconic contemporary design with unique

sharp lines and finishes



Water tank colour range















Which tank is your ideal storage solution?











Vertical

Slimline

Low Profile

Horizontal

Underground

1 | Consider your space

If you have limited space, our Slimline tanks are the ideal solution as the range was specifically designed with space restrictions taken into consideration.

If you need a larger tank to store more water, but have height restrictions, the low profile or horizontal tanks will be the perfect choice.

If aesthetics are of concern or no floor space is available, you have the option of an underground water tank specifically designed to withstand pressure when empty.

Ultimately, if space is not a problem and optimal water storage is the goal, consider our larger vertical water tank range for maximum storage.

2 | Consider the application

The intended use of the stored water will determine the size of the tank that you will need.

Rainwater Harvesting

Consider the following:

- · Rainfall in your area
- Your roof size
- The water usage

Note: The biggest downfall of rainwater harvesting is lack of storage capacity.

Municipal Backup

Consider the following:

- How many people you require back up water for
- How long you would like your back up water to last

A good way to calculate, would be to use 150L per person per day (the average in South Africa).

Fully Integrated System

Consider the following:

 How much municipal water you would like available as back up (see municipal backup section), then add the amount you would like to harvest in rainwater. You will require more storage capacity for this system.

Vertical Water Storage Tanks



TANK	DIAMETER	HEIGHT	CODE	AVAILABILITY	WARRANTY
260L	670mm	940mm	260LT	S	3-year
500L	840mm	1080mm	500	S	3-year
500L Backwash	840mm	1080mm	500BW	NS	3-year
1 000L	1 110mm	1300mm	1000	S	10-year
1 500L	1 410mm	1200mm	1500	s	10-year
1800L	1200mm	1780mm	1800	s	10-year
2 000L	1 420mm	1 450mm	2000	S	10-year
2 400L	1 420mm	1700mm	2400	S	10-year
2 700L	1 420mm	1860mm	2700	S	10-year
4 750L	1820mm	2 060mm	4750	S	10-year
5 250L	1820mm	2 255mm	5250	S	10-year
5 500L	1900mm	2 240mm	5500	SO	10-year
10 000L	2 200mm	3 150mm	10000WA	S	10-year
15 000L * **	2 600mm	3 260mm	15000	NS	10-year
20 000L * **	2 600mm	4 270mm	20000	NS	10-year

Ideal to use for the harvesting of rain and greywater, or as a backup system during water shortages. These tanks require proper installation on a base or tank stand and need to remain stationary once full.

Standard Colours





^{*} Transport costs apply ** 50% Deposit required to confirm order

Slimline Water Storage Tanks



TANK	DIAMETER	HEIGHT	CODE	AVAILABILITY	WARRANTY
750L Slimline™	760mm	760mm 1850mm		S	10-year
1 000L Slimline™	840mm	2 060mm	1000SLMB	S	10-year
1 000L SuperSlim	400mm (width) 2 020mm (length)	1800mm	1000SSLM	NS	10-year
1 500L MultiSlim	760mm (width) 1 620mm (length)	1890mm	1500MSS	NS	10-year
2 500L MultiSlim	760mm (width) 2 500mm (length)	1960mm	2500MSS	NS	10-year

Standard Colour







Horizontal Water Storage Tanks



TANK	ТҮРЕ	HEIGHT	LENGTH	WIDTH	CODE
240L	Medium	650mm	1 080mm	560mm	240HORM Jose
500L	Medium	830mm	1290mm	785mm	500HORM
600L	Medium	675mm	1 430mm	955mm	600HORM
750L	Medium	715mm	1520mm	955mm	750HORM
900L	Medium	925mm	1 495mm	1000mm	900HORM
1000L	Medium	1 030mm	1645mm	990mm	1000НОКМ
1 500L	Medium	1 395mm	1900mm	1100mm	1500HORM
2 500L *	Water	1 210mm	2 180mm	1540mm	2500HORW
4 500L	Water	1 430mm	2 320mm	2 070mm	4500HORW
5 000L Crocodile *	Water	1 530mm	2 600mm	2 060mm	5000HORW
5 500L	Water	1 505mm	2 545mm	2 090mm	5500HORW

^{*} While the capacity remains the same, tank moulds differ slightly in the Western Cape and Eastern Cape for these units.

Availability NS

Low Profile Water Storage Tanks





TANK	DIAMETER	HEIGHT	CODE	AVAILABILITY	WARRANTY
5 000L	2 230mm	1560mm	5000LPW	NS	10-year
10 000L	2 420mm	2 550mm	10000LPW	NS	10-year

Underground Water Storage Tank





TANK	DIAMETER	LENGTH	HEIGHT	CODE	AVAILABILITY	WARRANTY
6 000L	1950mm	3 330mm	2 080mm	6000WU	NS	10-year

If a smaller underground water storage tank is required, any of our conservancy tanks can be utilised for water storage. Just ensure to specify on your order that the intended application is for water storage to ensure the food-grade black inner lining is added to these tanks as our conservancy range is manufactured from recycled material to reduce our destructive waste output.



Underground Conservancy Storage Tanks

Standard Colour



TANK	DIAMETER	LENGTH	HEIGHT	CODE	AVAILABILITY	WARRANTY
1 250L	1 550mm	n/a	1190mm	1250SEPH	S	10-year
1 500L	1 550mm	n/a	1 280mm	1500SEPH	S	10-year
1 750L	1 550mm	n/a	1 390mm	1750SEPH	S	10-year
2 000L	1 550mm	n/a	1500mm	2000SEPH	S	10-year
2 500L	1 550mm	n/a	1 710mm	2500SEPH	S	10-year

PREFERRED JOJO INSTALLERS

JoJo has a list of preferred installers available on our website for those who would prefer to leave the installation to the professionals.

We carefully screened them to ensure they have the right equipment and experience to satisfactorily serve our customers. They were also required to take a range of courses to ensure that they meet our uncompromising criteria.

Kindly contact any of them in your area to recommend and quote an installation that will suit your specific requirements.



