


Tank To Tank Kit Connector Kits

Instructions for use

Nov 2025


Our modular Tank-to-Tank Connector Kits make it easy to link multiple tanks in series and includes all the fittings needed for a secure, watertight connection.

Available Kits:




Elbow Kit:

For the first tank in your setup.



T-piece Kit:

For adding additional tanks in series.



Extension Kit:


For connecting tanks over longer distances or around obstacles.

50mm PVC Pipe:

Simply add 50mm PVC pipe in the required length.

Elbow Kit

Start your setup with a secure ball valve and elbow connection.



Important:

To install these kits, you will need:

- Thread tape
- PVC glue
- 50mm PVC pipe (in the required length)

What's included in this kit?

1. Ball valve assembly fitted with:


- | | |
|--------------------------|-------------------------------|
| A 50mm ball valve | B 50/40mm male adapter |
|--------------------------|-------------------------------|

2. Elbow assembly fitted with:

- | | |
|---------------------------|-------------------------------|
| C Ball valve union | D 50mm 90 degree elbow |
| E 50mm union | |

3. Reducer assembly including:

- | | |
|---------------------------------|--------------------------|
| F 50/40mm female adapter | G 40/25mm reducer |
|---------------------------------|--------------------------|



Assembly Instructions

Important: Use thread tape and PVC glue on all relevant connections.

1. Fit the pre-glued ball valve assembly **(1)** to the 40mm outlet at the bottom of the tank.
2. Attach the elbow assembly **(2)** by screwing the ball valve union **(C)** onto the ball valve's **(A)** thread.
3. Choose your elbow assembly connection option:

3a. 50mm PVC pipe

- Insert the pipe into the 50mm union **(E)** and glue it in place.

3b. 40mm plumbing connection to a pump (for single-tank setups)


- Glue the 50/40mm female adapter **(F)** into the 50mm union **(E)**.

3c. 25mm plumbing connection to a pump (for single-tank setups)

- Glue the 50/40mm female adapter **(F)** into the 50mm union **(E)**, then screw in the 40/25mm reducer **(G)**.

T-Piece Kit

Add this kit so seamlessly join additional tanks to your installation.



Important:

To install these kits, you will need:

- Thread tape
- PVC glue
- 50mm PVC pipe (in the required length)

What's included in this kit?

1. Ball valve assembly fitted with:


- | | |
|--------------------------|-------------------------------|
| A 50mm ball valve | B 50/40mm male adapter |
|--------------------------|-------------------------------|

2. T-Piece assembly fitted with:

- | | |
|---------------------------|-----------------------|
| C Ball valve union | D 50mm t-piece |
| E 50mm union | |

3. Reducer assembly including:

- | | |
|---------------------------------|--------------------------|
| F 50/40mm female adapter | G 40/25mm reducer |
|---------------------------------|--------------------------|




Assembly Instructions

Important: Use thread tape and PVC glue on all relevant connections.

- Fit the pre-glued ball valve assembly **(1)** to the 40mm outlet at the bottom of tank.
- Attach the t-piece assembly **(2)** by screwing the ball valve union **(C)** onto the ball valve's **(A)** thread.
- Use 50mm PVC pipe (cut to the required length) to connect the 50mm unions **(E)** between an Elbow Kit and a T-piece, or between two T-piece kits—depending on how many tanks you are linking in series.
- Choose your elbow assembly connection option:
 - 50mm PVC pipe**
 - Insert the pipe into the 50mm union **(E)** and glue it in place.
 - 40mm plumbing connection to a pump** (for the last tank a series)
 - Glue the 50/40mm female adapter **(F)** into the 50mm union **(E)**.
 - 25mm plumbing connection to a pump** (for the last tank a series)
 - Glue the 50/40mm female adapter **(F)** into the 50mm union **(E)**, then screw in the 40/25mm reducer **(G)**.

Extension Kit

An extension kit for connecting tanks over longer distances or around obstacles.



Important:

To install these kits, you will need:


- PVC glue
- 50mm PVC pipe (in the required length)

What's included in this kit?

Fittings required for pipe extensions including:

1. 50mm 90 degree elbow

2. 2x 50mm sockets



Assembly Instructions

Important: Use PVC glue on all relevant connections.

- Use a socket to connect/extend a straight PVC pipe.
- Or use the elbow and a socket to go around corners or obstacles.
- You can also cut the pipe into shorter lengths and re-join with the sockets to fit your setup.

Thank you for choosing JoJo. If there is anything that you are unsure about or need assistance with, please do not hesitate to contact us.

www.jojo.co.za | +27 11 695 8300

JoJo
FOR WATER FOR LIFE