

JoJo 10-Inch Whole-House Filter

Instructions for use

July 2026

- For more information about JoJo and our range of products, please visit our website.
- For correct installation, use and maintenance, please read these instructions carefully and keep them safe for future reference.
- If you have questions concerning the product, send an email to productinfo@jojo.co.za or send us an enquiry via our website and we will assist and advise accordingly.
- When replacing the filter cartridges, ensure you use JoJo filter cartridges.
- Keep this manual in a safe place for future reference. It contains important installation, operation, and maintenance information.

A VERSATILE, MODULAR SOLUTION FOR CUSTOMISED WATER FILTRATION



IMPORTANT INFORMATION

- It is advised to make use of a licensed plumber/professional installer to install this system to avoid forfeiting the warranty due to incorrect installation.
- Installation must comply with local plumbing codes.
- Do NOT use hot water (this system is designed for cold water use of temperatures ranging between 4 - 38 °C).
- This system is rated to operate at a maximum of 8 Bar. If the incoming water supply exceeds the maximum pressure, a pressure reducing valve is required.
- Do not install this system using copper solder fittings as the heat from soldering will damage the unit.
- Use PTFE thread tape at all threaded joints.
- The flow rate will vary depending on your choice of filter cartridges and the incoming water pressure and flow rate.
- The effectiveness and lifespan of your filters depend on the water quality, usage volume, and your chosen cartridge combination. To maintain optimum filtration, it is recommended to replace the filters as specified.

Product Features

- ✓ **1-Year Quality Warranty**
- ✓ **Customisable Filtration:** Select the right cartridge/s for your application.
- ✓ **Convenient:** Quick & easy filter replacement.

- ✓ **Durable:** The casing is UV-stabilised and withstands up to 8 bar pressure.
- ✓ **Modular System:** Easily extend or upgrade as your water needs evolve.

Product Benefits

✓		Removes impurities from drinking water.	✓		Improves water quality in baths and showers.
✓		Stops impurities from fouling geysers and appliances.	✓		Filters out impurities for healthier plants and soil.
✓		Improves water purity for better washing and rinsing results.			

1-year Quality Warranty

JoJo Whole-house Filter Casings purchased from an approved JoJo retail outlet and/or distributor carry a 1-year warranty from the date of purchase. In order to maintain your warranty, always ensure you install, operate and maintain the unit as per the instructions provided in this manual.

Detailed T's and C's, as well as return policies and procedures are in the back of this manual.



Get the most out of your purchase!




Did you know?

You can register your product on our website for safe keeping of your purchase information.

To register, simply scan the QR code or visit: www.jojo.co.za/warranty-registration

PACK CONTENTS



1. 10-Inch 1-Stage Whole-house filter casing complete with:

A. 2x Rubber O-rings

2. Bracket

3. 4x Self-tapping screws

4. Casing spanner

ADDITIONAL ITEMS REQUIRED FOR INSTALLATION

2x 25mm Barrel nipples for inlet & outlet Connections


2x M6 Expansion bolts for wall mounting (4 can be used, 2 are sufficient for most installations)

INSTALLATION

Note: To maintain your warranty, we recommend using a licensed plumber or professional installer to ensure correct installation.

Mounting Instructions

- 01. Shut off the water supply.**
- 02. Open a tap** until all the water in the supply line runs out and all pressure is released, then close the tap.
- 03. Select a suitable installation location.** Ensure the water supply direction aligns with the filter housing caps marked 'IN' and 'OUT'. **Tip:** For easier cartridge replacement and maintenance, we recommend installing a ball valve or shutoff valve before and after the filter housing to isolate the water supply.
- 04. The bracket should be installed in the following orientation:**



- 05. Mark the drill points** by holding the bracket against the wall and using the screw holes as guides. It is recommended to use a spirit level to ensure the bracket is perfectly level.
- 06. Drill 10mm holes** (use a hammer drill for brick or concrete). Ensure the holes are deep enough to accommodate the full length of the expansion bolts.
- 07. Insert M6 expansion bolts** (not supplied with the product) into the drilled holes and tighten them to secure. Then loosen the nuts sufficiently to allow the mounting bracket to fit over the bolts.
- 08. Mount the bracket** by hooking it onto the expansion bolts, then fully tighten the bolts using a spanner.
- 09. Unscrew the cap/s** from the filter casing/s and attach it to the bracket using the 4 self-tapping screws provided.
- 10. Connect the inlet plumbing** to the 'IN' port on the cap of the whole-house filter casing. Then, connect the outlet plumbing to the 'OUT' port.

FILTER INSTALLATION

- 01.** Remove all packaging from the new filter cartridge/s and insert the cartridge/s into the filter casing/s. Ensure the cartridge is centred in the casing before aligning it with the cap and refitting the housing.
- 02.** Hand tighten the casing/s clockwise, then secure them in place using the supplied spanner. Do not over-tighten.
- 03.** Open a tap to expel the air from the system, then turn on the water supply and slowly fill the casing/s. Once filled and all air is expelled, close the tap.

FILTER REPLACEMENT

- 01.** Shut off the water supply.
- 02.** Open a tap until the pressure in the supply line is released, then close the tap.
- 03.** Unscrew the filter housing/s counterclockwise with the supplied spanner and remove the used filter cartridge/s.
- 04.** Wash the inside of the filter housing with warm water and mild soap using a soft cloth or sponge. **Do not use abrasive scouring pads or cleaners.**
- 05.** Follow steps 1 to 3 in the "Filter Installation Instructions" above.

JOJO'S 10-INCH WHOLE-HOUSE FILTER CARTRIDGE OPTIONS



1, 5 & 10 Micron PP Sediment



Powdered Activated Carbon



3-in-1 Disruptor™

Refer to pages 6-7 for details on what each cartridge removes, along with recommendations on which cartridge to choose and how to combine them for your application.

JOJO'S 10-INCH WHOLE-HOUSE FILTER CARTRIDGE OPTIONS

Note: it is important to look at the table below to ensure that the filter, or combo of filters you purchase will remove the contaminants you need it to. If you are unsure which filters you require, please feel free to contact us for advice or guidance.

Contaminants Each Cartridge Removes	1 Micron PP Sediment	5 Micron PP Sediment	10 Micron PP Sediment	Activated Carbon	Disruptor™ 5293 PAC-S
	Removes Very Fine Sediment	Removes Fine Sediment	Removes Larger Sediment		
Sediment	✓	✓	✓	✓	✓
Particulates	✓	✓	✓	✓	✓
Chlorine				✓	✓
Dissolved solids (minerals)					
Endotoxins					✓
Viruses					✓
E. coli					✓
Bacteria				✓	✓
Cysts & parasites				✓	✓
Polysaccharides (TEP)					✓
Colloids					✓
Trace pharmaceuticals					✓
Chemicals				✓	✓
Some heavy metals (lead, copper & iron)					✓
VOC (volatile organic compounds)				✓	✓

Tailor your cartridge combination to your water requirements:

Stage 1	+ Stage 2	Ideal For
10, 5 or 1 Micron Sediment	-	Removing sand, silt and rust from municipal, rain or borehole water
10 or 5 Micron Sediment	1 Micron Sediment	Water with higher sediment levels requiring finer filtration
5 or 1 Micron Sediment	Activated Carbon	Improving taste and odour while reducing chlorine and removing sediment
5 or 1 Micron Sediment	Disruptor™	Rainwater or borehole water where microbiological protection is needed
Activated Carbon	Disruptor™	Clear municipal water requiring improved taste plus biological protection

THINGS TO CONSIDER WHEN CHOOSING YOUR CARTRIDGE/S

1-Stage or 2-Stage

- A single-stage system is ideal when you only need to remove one type of contaminant, such as sediment or chlorine, or when your water quality is already relatively good.
- A two-stage system is recommended when your water requires multiple filtration steps.

1 Micron Sediment VS 5 Micron Sediment VS 10 Micron Sediment

- Sediment cartridges are typically used as a single stage of filtration or as the first stage in a multi-stage filtration system, where they help protect and extend the life of the cartridges that follow.
- 10 Micron cartridges remove larger particles such as sand, grit and rust while maintaining higher flow rates.
- 5 Micron cartridges are the typical all-round choice for most municipal, rainwater and borehole applications.
- 1 Micron cartridges capture much finer sediment, producing clearer water, but typically require more frequent replacement.
- Tip:** For water with high sediment levels, use a 10 or 5 Micron cartridge in Stage 1, followed by a 1 Micron cartridge in Stage 2 for more effective filtration and longer cartridge life.

Sediment VS Activated Carbon

- What contaminants do you need to remove?** Please refer to the table for a detailed comparison between sediment and carbon filters, and what each removes.
- What is the cartridge's purpose?** Sediment cartridges remove physical particles, while activated carbon reduces chlorine, improves taste and odour, and helps remove certain organic compounds.
- Stage matters:** Activated carbon is typically installed after a sediment cartridge so it is protected from clogging.
- The more effective the initial filtration, the longer the final stage will typically last,** helping to maintain its performance.

SUITABLE WATER SOURCES

- 1 Municipal Water**
- 2 Borehole Water**
- 3 Rainwater**

It is important that the water source is appropriately controlled. Note: Borehole water should be tested to ensure that it is safe for domestic use. Water quality, volume of consumption and the combination of filter cartridges will all influence the effectiveness and lifespan of your filters.

1-YEAR QUALITY WARRANTY

Please read this warranty in conjunction with the South African Consumer Protection Act 68 of 2008.

JoJo warrants the Whole-house Filter Casing (herein after referred to as 'the product') to the original end user/purchaser to be free of defective materials and workmanship under normal use for a period of 12-months from the date of purchase from authorised retailers and distributors.

To be eligible for warranty replacement, the product must be returned to the point of purchase during and up to the expiry date of the warranty period. Proof of date of purchase is required.

01. Liability in terms of this warranty shall be limited to replacement of the product. Liability for all and any other losses and/or subsequent damages suffered are expressly excluded.
02. This warranty does not obligate JoJo to bear any cost of removal, installation, transportation, or other charges which may arise in connection with a warranty claim.
03. The warranty shall not apply to repairs or service necessitated by normal wear and tear or for lack of reasonable and proper installation/maintenance.

This warranty does not apply if in the sole judgement of JoJo the product or any of its components have been;

- (a) Tampered with, disassembled, repaired or altered (except as may be pre-authorised by JoJo in writing);
- (b) Subjected to misapplication, misuse, neglect or accident; or
- (c) Damaged as a result of fluctuations or surges in water pressure.

IMPORTANT: this is the exclusive warranty given by us and no other warranty or guarantees, expressed or implied shall be of any force or effect. No distributor or other person is authorised to assume any liability or obligation for JoJo other than expressly provided herein.

RETURN POLICIES AND PROCEDURES

Claim process

Within 12 months: should the product not operate as specified, or cease to do so within 12 months after being purchased, the return procedure is as follows:

- **Return the product to the place of purchase**, together with the proof of purchase (to confirm that it is within the 12 month warranty period).
- **The product will be sent to the nearest JoJo factory for an evaluation.**
- Upon verification of the defect and eligibility of warranty coverage, a replacement unit will be provided to the original end user/purchaser at no additional cost.

Thank you for choosing JoJo. If there is anything that you are unsure about or need assistance with, please do not hesitate to contact us.

www.jojo.co.za | +27 11 695 8300

JoJo
FOR WATER FOR LIFE