

Product Brochure

JoJo
FOR WATER FOR LIFE



Award-Winning by Design. Engineered for the Way You Live



Voted Product of the Year South Africa 2026, the JoJo Slimline combines trusted JoJo quality with space-saving design — giving you dependable water storage without taking over your space.

- Slimline profile **fits where standard tanks can't**
- Optimal 1,000L capacity — **big storage without the footprint**
- Link tanks in series for **scalable capacity**
- Virgin LLDPE — UV-stabilised, BPA-free, **food-grade**
- Black inner lining prevents algae growth
- **Reinforced base** for long-term structural support
- Rainwater harvesting, municipal backup, and borehole compatible
- **Multiple colours** + premium Marble Finish
- One-piece moulded — no joints, no leaks
- **10-year warranty**

Vertical & Slimline Storage Tanks



TANK	WARRANTY	AVAILABILITY	DIAMETER	HEIGHT
260L*	3-year	S Stock	670mm	940mm
500L*	3-year	S Stock	840mm	1 080mm
500L Backwash	3-year	NS Non-Stock	840mm	1 080mm
750L Slimline™	10-year	S Stock	760mm	1 850mm
1 000L*	10-year	S Stock	1 110mm	1 300mm
1 000L Slimline™	10-year	S Stock	840mm	2 060mm
1 000L SuperSlim	10-year	NS Non-Stock	400mm (width) 2 020mm (length)	1 800mm
1 500L MultiSlim	10-year	NS Non-Stock	760mm (width) 1 620mm (length)	1 890mm
1 500L*	10-year	S Stock	1 410mm	1 200mm
1 800L*	10-year	S Stock	1 200mm	1 780mm
2 000L*	10-year	S Stock	1 420mm	1 450mm
2 400L	10-year	S Stock	1 420mm	1 700mm
2 700L*	10-year	S Stock	1 420mm	1 860mm
2 500L MultiSlim	10-year	NS Non-Stock	760mm (width) 2 500mm (length)	1 960mm
4 750L	10-year	S Stock	1 820mm	2 060mm
5 000L Low Profile*	10-year	NS Non-Stock	2 230mm	1 560mm
5 250L*	10-year	S Stock	1 820mm	2 255mm
5 500L*	10-year	SO Special Order	1 900mm	2 240mm
10 000L*	10-year	S Stock	2 200mm	3 150mm
10 000L Low Profile*	10-year	NS Non-Stock	2 420mm	2 550mm
15 000L*	10-year	NS Non-Stock	2 600mm	3 260mm
20 000L*	10-year	NS Non-Stock	2 600mm	4 270mm

* Also available in medium and heavy-duty chemical variants.



Horizontal Storage Tanks



SIZE	TYPE	HEIGHT	LENGTH	WIDTH	
240L*	NS Chemical Medium Chemical Heavy	650mm	1 080mm	560mm	
500L*	NS Chemical Medium Chemical Heavy	830mm	1 290mm	785mm	
600L*	NS Chemical Medium Chemical Heavy	675mm	1 430mm	955mm	
750L*	NS Chemical Medium Chemical Heavy	715mm	1 520mm	955mm	
900L*	NS Chemical Medium Chemical Heavy	925mm	1 495mm	1 000mm	
1 000L*	NS Chemical Medium Chemical Heavy	1 030mm	1 645mm	990mm	
1 500L*	NS Chemical Medium Chemical Heavy	1 310mm	1 790mm	1 046mm	
2 500L**	NS Water Chemical Medium Chemical Heavy	1 210mm	2 180mm	1 540mm	
4 500L	NS Water Chemical Medium Chemical Heavy	1 430mm	2 320mm	2 070mm	
5 000L Crocodile**	NS Water Chemical Medium Chemical Heavy	1 530mm	2 600mm	2 060mm	
5 500L	NS Water Chemical Medium Chemical Heavy	1 505mm	2 545mm	2 090mm	

* Medium-duty smaller horizontals can store water if made in our darker colours to help prevent algae growth.

** While the capacity remains the same, tank moulds differ slightly in the Western Cape and Eastern Cape.

Underground Water Storage Tank



SIZE	TYPE	DIAMETER	LENGTH	HEIGHT	AVAILABILITY
6 000L	Water	1 950mm	3 330mm	2 080mm	NS Non-Stock

Sanitation Products



SIZE	TYPE	SUITABLE	WIDTH	LENGTH	HEIGHT	WARRANTY
1 250L	S Septic Conservancy	2-4 People	1 550mm	1 550mm	1 190mm	10-year
1 500L	S Septic Conservancy	2-6 People	1 550mm	1 550mm	1 280mm	10-year
1 750L	S Septic Conservancy	4-6 People	1 550mm	1 550mm	1 390mm	10-year
2 000L	S Septic Conservancy	4-7 People	1 550mm	1 550mm	1 500mm	10-year
2 500L	S Septic Conservancy	4-9 People	1 550mm	1 550mm	1 710mm	10-year
6 000L	S Septic Conservancy	20-25 People	1 950mm	3 330mm	2 080mm	10-year


What's the difference between a Septic and Conservancy Tank?

A **septic tank** treats wastewater by separating solids, allowing partial decomposition, and discharging the liquid into the ground via a soakaway system.

A **conservancy tank** is a sealed underground unit that **stores black and grey water** until it's pumped out. It doesn't process waste and is built extra strong to withstand soil pressure, even when empty.

Conservancy tanks can be used for underground water storage. Confirm your application when ordering to ensure a food-grade lining is added.

Important: There is a specific, highly recommended installation procedure for underground tanks. Please refer to our website for these guidelines and follow them to ensure your warranty remains intact.



Accessory Range



TANK ACCESSORIES



Water Tank Float Valve Kit



20mm Water Tank Fill Valve



40mm Water Tank Fill Valve



Mechanical Tank Level Indicator



DIY Slimline Tank Stand

TANK FITTINGS



40mm Water Fitting



50/40mm Reducer

RAINWATER HARVESTING ACCESSORIES



Rainhead



First Flush Rainwater Diverter



480mm Water Tank Filter Screen



480mm Plastic Filter Screen



Tank Mozzie Screen

WATER MONITORING DEVICES



IoT Tank Level



IoT Water Meter

Discover the full JoJo accessories range online at www.jojo.co.za.



Pressure Pumps



PUMP		BEST EFFICIENCY PRESSURE RANGE	BEST EFFICIENCY FLOW RANGE	NUMBER OF BATHROOMS	
0.37kW Basic Booster Pump & Connector Kit	S	1 to 2.3 bar	5 to 15lt/min	1	
0.37kW Booster Pump	S	1 to 2.4 bar	10 to 20lt/min	1	
0.37kW Smart Series Pump	S	1 to 2.2 bar	25 to 58lt/min	1	
0.55kW Smart Series Pump	S	1.5 to 3.4 bar	25 to 58lt/min	2	
0.75kW Centrifugal Pump	S	1.9 to 2.8 bar	40 to 80lt/min	3	
0.75kW Smart Series Pump	S	2 to 3.4 bar	39 to 67lt/min	3	
1.1kW Centrifugal Pump	S	2.7 to 3.5 bar	40 to 90lt/min	4	
1.1kW Smart Series Pump	S	2 to 3.5 bar	67 to 150lt/min	8	

+ Maximise the value of your pump purchase

Protect your investment – Add a Pump Cover to shield your pump from the elements and extend its lifespan.

Simplify your setup – Add a Pump-to-Tank Connector Kit for a quick, secure connection to your JoJo water tank.

Pump Accessories



S

25mm Pump to Tank Connector Kit


- Designed for booster pumps with a 25mm inlet & outlet
- Suitable for use with our 0.37, 0.55, 0.6 and 0.75kW booster pumps



S

Universal Pump to Tank Connector Kit

- One kit. Every JoJo booster pump
- Designed to fit 25mm, 32mm & 40mm pump connections



All-inclusive kits
for seamless connection
from your tank to your pump



1

Remote Tank Pump Controller

Monitor and manage tank levels effortlessly with the JoJo Remote Tank Pump Controller



Wireless range of 4km



Includes water level sensors



Solar powered transmitter



Automatic pump switch



Updates every 2 minutes



3

S

Standard Pump Cover

Height: 500mm
Width: 540mm
Length: 540mm



3

S

Medium Pump Cover

Height: 620mm
Width: 540mm
Length: 540mm

Add a JoJo Pump Cover to maintain your warranty, protect your pump from the elements, and extend its lifespan.

- UV-resistant
- Corrosion-resistant
- Durable & light-weight
- Available in a range of colours to match your JoJo tank



Borehole Pumps


1
YEAR
WARRANTY



PUMP		BEST EFFICIENCY HEAD RANGE	BEST EFFICIENCY FLOW RANGE	MAX DEPTH	
0.37kW 3" SDM Borehole Pump Kit	NS	33 to 60m	20 to 40lt/min	For use in boreholes up to 65 meters in depth	
0.55kW 3" SDM Borehole Pump Kit	NS	46 to 84m	20 to 40lt/min	For use in boreholes up to 91 meters in depth	
0.75kW 3" SDM Borehole Pump Kit	NS	59 to 107m	20 to 40lt/min	For use in boreholes up to 117 meters in depth	

JoJo, Delivered to Your Door

Shop pumps, filtration, accessories and more online — simple, convenient and delivered to you.



Visit our website and see what we have in store
jojo.co.za/shop/

Filter your Water

Filter Water Where You Use It



Countertop Filter

A plug-and-play filter that is connected to your tap for healthy water in minutes.



10 Inch 1-Stage Filter Casing

Flexible filtration for cleaner water right where you need it, from the kitchen to other dedicated points of use.



Undersink Filter

A compact under-sink filter supplied with everything required for installation.



Inline Filter

The ideal filter solution when access to clean water is limited, both in and outside of the home.

Filter Water as It Enters Your Home



10 Inch 1-Stage Filter Casing

A simple solution for smaller homes, filtering water at the point it enters your home.




20 Inch 1-Stage Filter Casing

Ideal for higher-volume sediment filtration, helping remove dirt and particles from your incoming water supply.



20 Inch 2-Stage Filter Casing

Ideal for more comprehensive filtration, helping reduce a wider range of impurities for cleaner water throughout your home.



Filter Cartridges



Countertop and Undersink Filter Cartridges

1st Stage Sediment filters out dirt and particles, followed by 2nd Stage Disruptor™ for more advanced filtration.




10 & 20 Inch 5 Micron PP Sediment Filter Cartridge

An all-round sediment filter that balances effective filtration with excellent water flow.



10 & 20 Inch Activated Carbon Filter Cartridge

Removes chlorine, sediment, dirt, rust and other suspended particles.



10 Inch 10 Micron PP Sediment Filter Cartridge

Removes larger sediment to protect your plumbing and extend the life of downstream filter cartridges.



10 & 20 Inch 1 Micron PP Sediment Filter Cartridge

Removes very fine sediment to improve water clarity and protect downstream filtration systems.



10 & 20 Inch Disruptor™ Filter Cartridge

Removes viruses, E.coli, cysts, bacteria, parasites, chlorine, trace pharmaceuticals, some heavy metals and more.



Game-Changing Disruptor™ Technology

JoJo's filtration range is powered by Disruptor™, a revolutionary breakthrough in water purification that uses electroadsorption — an advanced process that activates an electrical field using only water to attract and trap even the tiniest contaminants.



REMOVES Bacteria



REMOVES Viruses



REMOVES Parasites



REMOVES Sediment




REMOVES Medicine



REMOVES Chlorine

Why Choose Disruptor™ Filters?

- ✓ Comprehensive purification in a single filter
- ✓ No water wastage
- ✓ Operates without electricity
- ✓ Preserves healthy minerals
- ✓ Outperforms conventional filters in removing contaminants



Complete

WATER TEST KIT

Fast answers for the water you use every day

Bacteria Test Kit

Detects harmful bacteria such as E. coli & coliforms

Basic Water Quality Test Kit

Checks chemicals, metals, chlorine, pH, hardness & overall water quality

TEST ANY WATER SOURCE

SAFE & EASY TO USE

SIMPLE & ACCURATE

12 Water Quality Checks

JoJo

FOR WATER FOR LIFE

In partnership with

i-lab

Tested and Validated according to ISO 13843

PRINT BATCH 210726

WEIGHT 81g

COMING SOON

Complete Confidence in your Water Quality

- ✓ DIY water testing made easy
- ✓ Test any water source from the comfort of your home
- ✓ Designed for convenience, accuracy & informed decisions

DIY Water Test Kits



DIY Bacteria Water Test Kit

A simple way to check water safety by testing for E. coli and coliform bacteria.



DIY Complete Water Test Kit

12 Essential water quality checks, including bacteria, chlorine, pH, hardness, nitrates & phosphates.

Why JoJo Water Test Kits?

Everything you need to test, understand and manage your water with confidence.

- ✓ Easy DIY Testing
- ✓ Laboratory-Backed Expertise
- ✓ Clear Result Interpretation
- ✓ Personalised Digital Reports
- ✓ Ongoing Support

Visit jojo.co.za to find out more.

Garden and Home Products



1

S

20L Beverage Tank

Height: 380mm
Diameter: 290mm



3

NS

500L Backwash Tank

Height: 1 080mm
Diameter: 840mm
Includes fittings and accessories



3

S

Small Dog Kennel

Height: 505mm (door 290mm)
Width: 482mm (door 210mm)
Length: 575mm



3

S

Medium Dog Kennel

Height: 785mm (door 480mm)
Width: 710mm (door 360mm)
Length: 860mm



3

S

Extra Large Dog Kennel

Height: 1 110mm (door 700mm)
Width: 950mm (door 500mm)
Length: 1 320mm



3

S

Extra Large Dog Kennel (Igloo)

Height: 1 030mm (door 875mm)
Length: 1 390mm (door 495mm)
Width: 1 390mm



3

S

Screw-on-Lid Drums

50L | 90L | 210L



3

S

Clip-on-Lid Drums

100L | 210L



Agricultural Products



SILO TANKS		DIAMETER	HEIGHT	SILO TANKS		DIAMETER	HEIGHT
200L	NS	550mm Bottom 135mm	1 165mm	3 000L*	NS	1 560mm Bottom 290mm	2 260mm
300L	NS	670mm Bottom 130mm	1 175mm	5 000L*	NS	1 800mm Bottom 340mm	2 810mm
1 200L*	NS	1 110mm Bottom 300mm	1 900mm	17 000L*	NS	2 600mm Bottom 340 mm	4 430mm

Silo Tanks are available in medium- and heavy-duty chemical variants, each backed by a 10-year warranty.

* Stands are available for these silo tanks as non-stock items.



160L Sheep Trough

Height: 505mm
Width: 430mm
Length: 2 110mm



250L Cattle Trough

Height: 490mm
Width: 830mm
Length: 1 290mm



500L Cattle Trough

Height: 560mm
Width: 950mm
Length: 1 700mm



Haysaver

Height: 790mm
Width: 705mm



Owl House

Height: 425mm
(base to top of gable)
Width: 455mm
Length: 545mm



Lead Times & Product Availability

STOCK & NON-STOCK ITEMS

S Ready to order, with an estimated **7-day lead time**, subject to availability and delivery.

NS Made to order, with an estimated **14-day lead time**, subject to availability and delivery.

SO Available by special order. **Lead times and availability will be confirmed when you order.**

PRODUCT WARRANTIES

Quality you can count on. JoJo products are made to last and backed by warranties for added peace of mind. Look out for the warranty badge throughout this guide to see the warranty period that applies to each product.

10
YEAR
WARRANTY

3
YEAR
WARRANTY

1
YEAR
WARRANTY

COLOUR RANGE

Water Tanks



Colours may differ slightly due to printing or display variations.

Each product range is stocked in select colours, but can be made in any of our colours on request – subject to practical considerations and extended lead times.

Chemical Tanks



Discover our full range of products and solutions at www.jojo.co.za



Need a hand? We're here to help.

From finding the right water solution to connecting you with a retailer or installer near you, our team is here to make your JoJo journey easier.



Find a Retailer

Find JoJo products near you



Find an Installer

Connect with an installer to bring your water solution to life



Shop Online

Shop selected JoJo products from the comfort of home



Chat to our Team

Need advice? We're here to help.

T +27 11 695 8300
E productinfo@jojo.co.za

JoJo
FOR WATER FOR LIFE